

# MapInfo Dialogs

## An inventory of their IDs

found in MIREs 600...800 .DLL  
with all details for 700

Jacques Paris

May 2006

[jacques@paris-pc-gis.com](mailto:jacques@paris-pc-gis.com)

This document lists the dialog IDs found in the MapInfo MIRE\$nnn.dll for the versions 600, 650, 700, 750, 780 and 800. I have compiled them from the inventory of the dialog jpgs extracted from the dlls by Lars Nielsen and displayed with his html pages (there is a zip file of the jpg and htm files for each version available separately).

*Mi uses also other dialogs not described in MIRE\$; they are the "Common Dialogs" (Windows resource based dialogs) and others that come probably from third party enhancements and must be located in their own dll (e.g. the New Graph dialogs). As the MI "-helpdiag" option is inoperative on those "extra" menus, they cannot be fully listed.*

This document is still unfinished; as I do not have access to all those versions and to some special "activity areas" (e.g. remote access, digitizer) I cannot fill in all the details. Anyone who can help filling gaps is more than welcome to send me his additions.

The first list is ordered by "dialog ID". A second list is in alphabetic order of the "title" but does not contain all the information. A third list show the dialogs open by menu items (version 7 exclusively)

The "versions" in which each dialog ID can be found permits to judge the range of compatibility of a proposed solution. In most cases, it is reported as "6-8" (available through the entire version range). If a dialog is introduced after version 6, the range will be like "> 7-8" (introduced in version 7 and still in 8); very few have been retired before version 8 and will be indicated as "6-6.5 <" (was only in 6 and 6.5)

The images for a given dialog may contain notable differences in the different versions; these changes will be reported in a later version of this document.

Some dialogs may be displayed in different manners depending on the circumstances they are called. These different looks are obtained by hiding some controls and/or changing some text, but they all use the same basic dialog. It is the case for example of the "Find" dialog (ID 2202) that shows more controls if a boundary file is defined for refining addresses. In such cases, the dialog is "recorded" with all its controls as it exists in the dll and "seen" by Resource Hacker..

For finding the ID of available controls, one must use the dialog jpg for the right dialog and the right version. Differences in control IDs may be reported in a later version of this document.

*NOTE that the following two columns are filled with version 7.0 information exclusively.*

"Menu item" is the number of the corresponding MI handler and can be used in the "Run Menu Command ..." statement to open the dialog directly (note that some of these numbers may not work in a RMC statement run from the MapBasic window). "Guessed" untested information is preceded by a ?.

"Called by menu item or dialog" gives the menu item name when the dialog is accessed directly or the dialog ID which has called it either in an automatic sequence (e.g. steps 1, 2, 3 ... for a "thematic map definition") or by activating a specific button (all the "style" button).

Note that "cd" preceding a number designates a Common Dialog

WARNING: to compound the remark about dialogs with the same ID but different looks, one must face also those that at runtime appear slightly different from the way they are defined in the resource file. Dialogs can be seen as "templates" that the program can modify when it needs them and it would be very difficult to trace all the possible variations (see what is possible with the Common Dialogs, that are Windows based resources, in a separate document). This is one more reason to extremely careful before broadcasting a "solution" based on dialog manipulation.

| Dialog ID | Title                         | Versions | Menu item  | Called by menu item or dialog                                      |
|-----------|-------------------------------|----------|------------|--|
| 1100      | New Redistrict Window         | 6-8      | 615        | Window   New Redistrict Window                                     |
| 1300      | Graph Type                    | 6-8      |            | From older graph menu  |
| 1340      | Axis Settings                 | 6-8      |            | From older graph menu  |
| 1380      | Customize Graph Legend        | 6-8      |            | From older graph menu  |
| 1500      | Graph Series                  | 6-8      |            | From older graph menu  |
| 1520      | Graph Series                  | 6-8      |            | From older graph menu  |
| 1550      | Layout Display Options        | 6-8      | 901        | Layout   Options   |
| 1560      | Layout Zoom                   | 6-8      | 902        | Layout   Zoom  |
| 1570      | New Layout Window             | 6-8      | 604        | Window   New Layout Window   |
| 1580      | Create Drop Shadows           | 6-8      | 909        | Layout   Create Drop Shadows                                       |
| 1590      | Align Objects                 | 6-8      | 908        | Layout   Align Objects   |
| 1600      | DXF Export Information        | 6-8      | ---        | 2555 + cd 57 (dxf format)  |
| 1610      | Set Coordinate Transformation | 6-8      | ---        | 1600 (set transformation button)                                   |
| 1620      | DXF Import Information        | 6-8      | ---        | cd 53 (dxf format)   |
| 1630      | Set Coordinate Transformation | 6-8      | ---        | 1620 (set transformation button)                                   |
| 1640      | DXF Import Warning            | 6-8      |            |  |
| 1650      | DXF Table Name Information    | 6-8      |            |  |
| 1660      | DXF Data Sorting Options      | 6-8      | ---        | 1620 (options button)  |
| 1670      | Flipping Geographic Data      | 6-8      |            |  |
| 1700      | GML Import                    | > 7-8    |            |  |
| 1710      | GML Import                    | > 8      |            |  |
| 1720      | Browser Print Options         | 6-8      |            |  |
| 1721      | Graph Print Options           | 6-8      |            |  |
| 1722      | Map Print Options             | 6-8      |            |  |
| 1741      | Print                         | 6-8      | 112        | File   Print   |
| 1742      | Page Setup                    | 6-8      | 111        | File   Page Setup  |
| 1744      | Advanced Printing Options     | 6-8      |            |  |
| 1745      | 3D Map Print Options          | 6-8      |            |  |
| 1746      | Printer Preferences           | 6-8      | ∅          | Via 4100 Printer   |
| 1750      | Pick Color                    | 6-8      | ---        | 6380   |
| 1800      | Layer Control                 | 6-8      | 801        | Map   Layer Control  |
| 1821      | Tool Manager                  | 6-8      | 1801       | Tools   Tool Manager   |
| 1822      | Tool Definition               | 6-8      | ---        | 1821 (Add tool + Edit tool buttons)                                |
| 1850      | Add Layer                     | 6-8      | ---        | 1800   |
| 1870      | Choose Projection             | 6-8      | ---        | Projection button on several table handling dialogs (e.g. 2600...) |
| 1880      | Non-Earth Coordinate Bounds   | 6-8      |            |  |
| 1910      | Buffer Objects                | 6-8      | 1606       | Objects   Buffer   |
| 1930      | Create Convex Hull            | 6-8      | 1616       | Objects   Convex Hull  |
| 2202      | Find                          | 6-8      | 305<br>--- | Query   Find<br>3520 (after spec)                                  |
| 2203      | Select Base Table             | 6-8      |            |  |
| 2400      | Printer Setup                 | 6-8      |            |  |
| 2500      | Open                          | 6-6.5 <  |            |  |
| 2501      | Choose Directory              | 6-8      | ---        | 4150 (2501 is not recognized by -helpdiag)                         |
| 2505      | New Table                     | 6-8      | 101<br>--- | File   New Table<br>6300   |
| 2510      | Open                          | 6-6.5 <  |            |  |
| 2512      | Open                          | 6-6.5 <  |            |  |
| 2513      | (no title)                    | 6-8      |            |  |
| 2514      | (no title)                    | 6-8      |            |  |
| 2515      | Choose Table Name             | 6-8      |            |  |
| 2516      | (no title)                    | > 7-8    |            |  |
| 2520      | Close Table                   | 6-8      | 103        | File   Close Table   |
| 2530      | Save Table                    | 6-8      | 105        | File   Save Table  |

| Dialog ID | Title   | Versions | Menu item  | Called by menu item or dialog  |
|-----------|---|----------|------------|--|
| 2540      | Revert Table  | 6-8      | 107        | File   Revert Table (if > 1 modified table)                              |
| 2550      | Save Copy As  | 6-8      | 106        | File   Save Copy As  |
| 2552      | Save Table As Query   | 6-8      | 117        | File   Save Query (if >1 query) + cd 56                                  |
| 2553      | New Report  | 6-8      | 1802       | Tools   Crystal Report   New Report                                      |
| 2555      | Export Table  | 6-8      | 402        | Table   Export + cd 57   |
| 2560      | View/Modify Table Structure   | 6-8      | 404        | Table   Maintenance   Table Structure (if >1 table)                      |
| 2561      | WMS Server Map Properties   | > 7.5-8  |            |  |
| 2562      | WMS Servers List  | > 7.5-8  |            |  |
| 2563      | WMS Sever Information   | > 7.5.8  |            |  |
| 2564      | WMS Server Details  | > 7.5-8  |            |  |
| 2567      | WMS Derver Map Properties   | > 7.8-8  |            |  |
| 2570      | Browse Table  | 6-8      | 601        | Window   New Browse Window   |
| 2580      | (no title)  | > 7-8    |            |  |
| 2581      | (no title)  | > 7-8    |            |  |
| 2582      | (no title)  | > 7-8    |            |  |
| 2585      | (no title)  | > 7-8    |            |  |
| 2586      | (no title)  | > 7-8    |            |  |
| 2600      | New Table Structure<br>Create Table Structure<br>Modify Table structure | 6-8      | +++        | Table   Maintenance   Table Structure (if 1 table)<br>2560 (if >1 table) |
| 2610      | Delete Table  | 6-8      | 409        | Table   Maintenance   Delete Table                                       |
| 2620      | Append Rows to Table  | 6-8      | 411        | Table   Append Rows to table   |
| 2630      | Rename Table  | 6-8      | 410        | Table   Maintenance   Rename Table + cd 62                               |
| 2640      | Select WMS Table  | > 7.5-8  |            |  |
| 2645      | Select WFS Table  | > 7.8-8  |            |  |
| 2646      | Select WFS Table(s)   | > 8      |            |  |
| 2650      | Modify Table Structure  | 6-8      |            |  |
| 2660      | View Table Structure  | 6-8      |            |  |
| 2670      | Set Field Properties  | > 7.8-8  |            |  |
| 2710      | Delimited ASCII Information   | 6-8      |            | 2555 + cd 57 (txt format)  |
| 2720      | dBase DBF Information   | 6-8      |            | 2555 + cd 57 (dbf format)  |
| 2725      | Shapefile Information   | > 7-8    |            |  |
| 2730      | Excel Information   | 6-8      |            |  |
| 2735      | Other Range   | 6-8      | ---        | 2730   |
| 2740      | Lotus 1-2-3 Information   | 6-8      |            |  |
| 2745      | Other Range   | 6-8      | ---        | 2740   |
| 3200      | Text Style  | 6.8      | 504        | Options   Text Style   |
| 3300      | Region Style  | 6-8      | 502<br>--- | Options   Region Style<br>6320   |
| 3310      | Symbol Style  | 6-8      | 503<br>--- | Options   Symbol Style<br>3520, 6320                                     |
| 3330      | Full View of Sample   | > 7.5-8  |            |  |
| 3340      | New Map Window  | 6-8      | 602        | Window   New Map Window  |
| 3350      | Add Custom Symbol Results   | > 7.8-8  |            |  |
| 3360      | Add Custom Symbol Results   | > 8      |            |  |
| 3400      | Line Object   | > 6.5-8  | 207        | Edit   Get Info / F7 / double click                                      |
| 3405      | Multipoint Object   | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3410      | Polyline Object   | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3415      | Collection Object   | > 6.5-8  | 207        | Edit   Get Info / F7 / double click                                      |
| 3420      | Region Object   | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3430      | Ellipse Object  | 6.8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3440      | Rectangle Object  | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3450      | Rounded Rectangle Object  | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3460      | Arc Object  | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |
| 3470      | Text Object   | 6-8      | 207        | Edit   Get Info / F7 / double click                                      |

| Dialog ID | Title                        | Versions | Menu item | Called by menu item or dialog                                |
|-----------|------------------------------|----------|-----------|--|
| 3475      | Label Style                  | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 3480      | Point Object                 | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 3490      | Frame Object                 | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 3500      | Select                       | 6-8      | 301       | Query   Select   |
| 3520      | Find                         | 6-8      | 305       | Query   Find (no spec) or 2202 (Respecify)                   |
| 3521      | Find Options                 | 6-8      | ---       | 3520   |
| 3560      | Create graph – step 2 of 2   | 6-8      | ---       | 3561   |
| 3561      | Create graph – step 1 of 2   | 6-8      | 603       | Window   New Graph Window                                    |
| 3570      | Expression                   | 6-8      | ∅         | Several dialogs with "Assist" button or from a "Fields" list |
| 3580      | Change View                  | 6-8      | 805       | Map   Change View  |
| 3590      | Save Cosmetic Objects        | 6-8      | 809       | Map   Save Cosmetic Objects                                  |
| 3600      | Geocode                      | 6-8      | 407       | Table   Geocode  |
| 3601      | Geocode Options              | 6-8      | ---       | 3600 (Options button)  |
| 3610      | Save Cosmetic Objects        | 6-8      |           |  |
| 3620      | Create Points                | 6-8      | 408       | Table   Create Points  |
| 3621      | Save Modified Table Data     | 6-8      | 104       | File   Close All (if pending edits)                          |
| 3622      | Save Map Objects             | 6-8      |           |  |
| 3630      | Pick Fields                  | 6-8      | 704       | Browse   Pick Fields   |
| 3635      | Browse Options               | 6-8      | 703       | Browse   Browse Options                                      |
| 3640      | Map Options                  | 6-8      | 802       | Map   Options  |
| 3650      | Specify Join                 | 6-8      | ---       | From button "Join" (e.g. 6100)                               |
| 3660      | Specify Join                 | 6-8      |           |  |
| 3670      | Calculate Column Statistics  | 6-8      | 309       | Query   Calculate Statistics                                 |
| 3680      | Column Statistics            | 6-8      | ---       | 3670   |
| 3700      | SQL Select                   | 6-8      | 302       | Query   SQL Select   |
| 3730      | Pack Table                   | 6-8      | 403       | Table   Maintenance   Pack Table                             |
| 3740      | Digitizer Setup              | 6-8      | ? 803     | ? Map   Digitized Setup                                      |
| 3750      | Pick Tablet Point            | 6-8      |           |  |
| 3760      | Add Control Point            | 6-8      |           |  |
| 3770      | Edit Control Point           | 6-8      |           |  |
| 3780      | Set Digitizer Options        | 6-8      |           |  |
| 3810      | View Entire layer            | 6-8      | 807       | Map   View entire Layer                                      |
| 3820      | Draw Autolabels              | 6-8      |           |  |
| 4000      | Status                       | 6-8      | ∅         | Progress Bar (from several operations)                       |
| 4100      | Preferences                  | 6-8      | 208       | Options   Preferences  |
| 4110      | System Settings Preferences  | 6-8      | ∅         | Via 4100 System settings                                     |
| 4120      | Startup Preferences          | 6-8      | ∅         | Via 4100 Startup   |
| 4121      | Startup Preferences          | > 7-8    | ∅         | Via 4100 Startup with DBMS connection                        |
| 4130      | Map Window Preferences       | 6-8      | ∅         | Via 4100 Map Window  |
| 4131      | Map Window Preferences       | > 6.5 <  |           |  |
| 4140      | Address Matching Preferences | 6-8      | ∅         | Via 4100 Address Matching                                    |
| 4150      | Directory Preferences        | 6-8      | ∅         | Via 4100 Directories   |
| 4160      | Legend Window Preferences    | 6-8      | ∅         | Via 4100 Legend Window                                       |
| 4170      | Output Preferences           | 6-8      | ∅         | Via 4100 Output settings                                     |
| 4180      | Styles Preferences           | 6-8      | ∅         | Via 4100 Styles  |
| 4190      | Web Services preferences     | > 8      |           |  |
| 4191      | Web Services Proxy Settings  | > 8      |           |  |
| 4400      | Line Object                  | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 4405      | Multipoint Object            | > 6.5-8  | 207       | Edit   Get Info / F7 / double click                          |
| 4410      | Polyline Object              | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 4415      | Collection Object            | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 4420      | Region Object                | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 4430      | Ellipse Object               | 6-8      | 207       | Edit   Get Info / F7 / double click                          |
| 4440      | Rectangle Object             | 6-8      | 207       | Edit   Get Info / F7 / double click                          |

| Dialog ID | Title                                     | Versions | Menu item        | Called by menu item or dialog  |
|-----------|---|----------|------------------|--|
| 4450      | Rounded Rectangle Object                  | 6-8      | 207              | Edit   Get Info / F7 / double click                                    |
| 4460      | Arc Object                                | 6-8      | 207              | Edit   Get Info / F7 / double click                                    |
| 4470      | Text Object                               | 6-8      | 207              | Edit   Get Info / F7 / double click                                    |
| 4480      | Point Object                              | 6-8      | 207              | Edit   Get Info / F7 / double click                                    |
| 4490      | Display Options                           | 6-8      | ---              | 1800   |
| 5010      | Save Window As                            | 6-8      | 609              | File   Save Window AS  |
| 5012      | Advanced Exporting Options                | 6-8      | ---              | 5010 (Advanced button)   |
| 5020      | Select Window                             | 6-8      |                  |  |
| 5021      | Toolbar Options                           | 6-8      |                  |  |
| 5022      | Toolbar Options                           | 6-8      | 605              | Options   Toolbars   |
| 5030      | Label Options                             | 6-8      | ---              | 1800   |
| 5040      | HotLink Options                           | 6-8      | ---              | 5040   |
| 5045      | Insert Style                              | > 8      |                  |  |
| 5050      | Create Thematic Map - Step 1 of 3         | 6-8      | 307              | Map   Create Thematic Map +  |
| 5060      | Create Thematic Map - Step 2 of 3         | 6-8      | ---              | 5050 ranges - individual values – graduated - dots                     |
| 5065      | Create Thematic Map - Step 2 of 3         | 6-8      | ---              | 5050 grid  |
| 5070      | Create Thematic Map - Step 2 of 3         | 6-8      | ---              | 5050 bar-bie charts  |
| 5080      | Create Thematic Map - Step 3 of 3         | 6-8      | ---              | 5060 / 5065 / 5070   |
|           |   |          | 308              | Map   Modify Thematic Map (1 thematic map)                             |
|           |   |          | ---              | 6630   |
| 5082      | Customize Legend Label Order              | > 8      |                  |  |
| 5085      | Save Theme to a Template                  | 6-8      | ---              | 5080 (Template Save As button)   |
| 5087      | Merge a template Into the Current Theme   | 6-8      | ---              | 5080 (Temple Merge button)   |
| 5090      | Customize Ranges                          | 6-8      | ---              | 5080 (Ranges, Ranges button)   |
| 6020      | Customize Dot Density Settings            | 6-8      | ---              | 5080 (Dot Density, Styles button)                                      |
| 6030      | Customize Legend                          | 6-8      | ---              | 5080 (Legend button)   |
| 6060      | Customize Bar Styles                      | 6-8      | ---              | 5080 (Bar, Style button)   |
| 6070      | Grid Appearance                           | 6-8      |                  | 5080 (Grid map, Style button)  |
| 6100      | Update Column<br>Update Column for Graph  | 6-8      | 405<br>---       | Table   Update Column<br>3560 from "join" in Fields                    |
| 6120      | Quick Start                               | 6-8      |                  |  |
| 6150      | Line Style                                | 6-8      | 501              | Options   Line Style   |
| 6170      | Fill Style                                | 6-8      |                  |  |
| 6200      | Join Tables                               | 6-8      |                  |  |
| 6230      | Rotate Objects                            | > 7.5-8  |                  |  |
| 6240      | Data Disaggregation                       | 6-8      | 1612, 13<br>,,14 | Objects   Split ...   Erase ...   Erase Outside<br>6250                |
| 6250      | Split With Polyline                       | > 7-8    | 1623             | Objects   Polyline Split   |
| 6260      | Layer Buffer                              | 6-8      |                  |  |
| 6265      | Table Voronoi                             | > 7.5-8  |                  |  |
| 6270      | Disaggregate Objects                      | > 6.5-8  | 1621             | Objects   Diasggregate   |
| 6275      | Offset Objects                            | > 7.5-8  |                  |  |
| 6280      | Data Aggregation                          | 6-8      | 1605             | Objects   Combine (+ dialogs with implied<br>aggregation, e.g. Buffer) |
| 6290      | Voronoi Field Values                      | > 7-8    | 1622             | Objects   Voronoi  |
| 6300      | Combine Objects Using Column              | 6-7.8    | 406              | Table   Combine Objects Using Column + 2505                            |
| 6310      | Clean Objects                             | > 6.5-8  | 1619             | Objects   Clean  |
| 6320      | Check Region Objects                      | 6-8      | 1618             | Objects   Check Regions  |
| 6330      | Set Values for Node Snap and Thinning     | > 6.5-8  | 1620             | Objects   Snap/Thin  |
| 6340      | Create Region Objects from Enclosed Areas | > 6.5-8  | 1617             | Objects   Enclose  |
| 6350      | Units                                     | 6-8      | ---              | 6370 (units button)  |
| 6360      | Edit Control Point                        | 6-8      | ---              | 6370 (edit button)   |
| 6370      | Image Registration                        | 6-8      | 413<br>---       | Table   Raster   Modify Image registration<br>6410 (if >1 raster open) |
| 6380      | Define Custom Colors                      | 6-8      | 617              | Options   Custom Colors + 1750   |

| Dialog ID | Title                                  | Versions | Menu item   | Called by menu item or dialog   |
|-----------|--|----------|-------------|---|
| 6410      | Choose Raster table                    | 6-8      | 413-414     | Table   Raster   Modify Image registration & Adjust Image Styles (if >1 raster open) + 6370 or 6430 |
| 6430      | Adjust Image Style                     | 6-8      | 414<br>---  | Table   Raster   Adjust Image Styles (if 1 raster)<br>6410 (if >1 raster open)                      |
| 6500      | Customize Range Styles                 | 6-8      | ---         | 5080 (Ranges, Styles button)  |
| 6540      | Customize Graduated Symbols            | 6-8      | ---         | 5080 (Graduated Symbols, Styles button)   |
| 6580      | Customize Individual Styles            | 6-8      | ---         | 5080 (Individual Values, Styles button)   |
| 6590      | Customize Pie Styles                   | 6-8      | ---         | 5080 (Pie, Styles button)   |
| 6630      | Modify Thematic Map                    | 6-8      | 308         | Map   Modify Thematic Map (if >1 thematic map) + 5080   |
| 6760      | Redistrict Options                     | 6-8      | 709         | Redistrict   Options  |
| 6800      | (no title) [layers > legend frames]    | 6-8      | 816<br>1903 | Map   Create Legend<br>Legend   Add frame   |
| 6810      | (no title) [legend properties, ...]    | 6-8      | ---         | 6800  |
| 6820      | Legend Frame Properties                | 6-8      | 1901        | Legend   Properties (one legend frame selected)   |
| 6830      | Legend Window Properties               | 6-8      | 1901        | Legend   Window Properties (no frame selected)  |
| 6840      | Refresh Legend                         | 6-8      | 1902        | Legend   Refresh  |
| 6850      | (no title) [attributes for legend fr.] | 6-8      | ---         | 6810  |
| 7000      | Open DBMS Table – step1 of 4           | 6-6.5 <  |             |   |
| 7001      | Open DBMS Table Options                | > 7-8    |             |   |
| 7002      | Open DBMS Connection                   | > 7-8    |             |   |
| 7003      | New DBMS Table Options                 | > 7-8    |             |   |
| 7004      | (no title) [TAB file location]         | > 7-8    |             |   |
| 7005      | (no title) [Index Type, Column...]     | > 7-8    |             |   |
| 7006      | (no title) [Default Object Styles]     | > 7-8    |             |   |
| 7020      | Column Picker                          | 6-8      |             |   |
| 7040      | Row Picker                             | 6-8      |             |   |
| 7080      | Enter SQL Query                        | 6-8      |             |   |
| 7090      | Filter Tables                          | 6-8      |             |   |
| 7100      | Change Table Object Style              | 6-8      | ? 418       | ? Table   Maintenance   Change DBMS Table Symbol  |
| 7120      | Unlink DBMS Table                      | 6-8      | ? 416       | ? Table   Maintenance   Change Unlink DBMS Table  |
| 7130      | Refresh DBMS Table                     | 6-8      | ? 417       | ? Table   Maintenance   Change Refresh DBMS Table   |
| 7140      | Select DBMS Table                      | 6-6.5 <  |             |   |
| 7160      | Open DBMS Table – step 4 of 4          | 6-6.5 <  |             |   |
| 7170      | Close Edited Linked table              | 6-8      |             |   |
| 7180      | Close Edited Linked table              | 6-8      |             |   |
| 7190      | (no title) [Preferred View]            | 6-6.5 <  |             |   |
| 7200      | Select DBMS Table                      | 6-6.5 <  |             |   |
| 7220      | Make Table Mappable                    | 6-8      | ? 415       | ? Table   Maintenance   Make DBMS Table Mappable  |
| 7225      | Set Table Bounds                       | > 7.5-8  |             |   |
| 7230      | MapInfo Oracle Connect                 | 6-8      |             |   |
| 7240      | Close DBMS Connection                  | 6-8      |             |   |
| 7245      | Select DBMS Connection                 | > 7-8    |             |   |
| 7250      | Open Access Table                      | 6-8      | ---         | cd 52 (dbf format)  |
| 7260      | Password Required                      | 6-8      | ---         | 7250  |
| 7270      | Save Access Table                      | 6-8      |             |   |
| 7300      | Resolve Conflicts                      | 6-8      |             |   |
| 7320      | Resolve Conflicts Automatically        | 6-8      |             |   |
| 7340      | Stop Commit                            | 6-8      |             |   |
| 7400      | Sub Total                              | 6-8      |             |   |
| 7500      | Create 3DMap                           | 6-8      | 817         | Map   Create 3D Map   |
| 7501      | 3DMap Properties                       | 6-8      | 2102        | 3DWindow   Properties (for 3D map)  |

| Dialog ID | Title                          | Versions | Menu item | Called by menu item or dialog         |
|-----------|--------------------------------|----------|-----------|---------------------------------------|
| 7502      | View Point Control             | 6-8      | 2107      | 3DWindow   View Point Control         |
| 7503      | Create Prism Mask              | > 6.5-8  | 818       | Map   Create Prism Map                |
| 7504      | Prism Map Properties           | > 6.5-8  | 2102      | 3DWindow   Properties (for Prism map) |
| 7600      | Select Mapper Windows          | > 7.8-8  |           |                                       |
| 9050      | (no title) [empty]             | 6-8      |           |                                       |
| 9051      | MapInfo                        | 6-8      |           |                                       |
| 9052      | MapInfo                        | 6-8      |           |                                       |
| 9053      | MapInfo                        | 6-8      |           |                                       |
| 9055      | (no title) [printing]          | 6-8      |           |                                       |
| 9059      | MapInfo                        | 6-8      |           |                                       |
| 9060      | About this MapInfo Product     | 6-8      | 1205      |                                       |
| 9070      | MapInfo                        | 6-8      |           |                                       |
| 9071      | MapInfo                        | 6-8      |           |                                       |
| 12000     | Oracle Tables                  | > 8      |           |                                       |
| 12020     | Oracle Connections             | > 8      |           |                                       |
| 12040     | Oracle Workspaces              | > 8      |           |                                       |
| 12060     | New Oracle Worspace            | > 8      |           |                                       |
| 12080     | Select an Oracle Workspace     | > 8      |           |                                       |
| 12160     | Merge Oracle Workspace Table   | > 8      |           |                                       |
| 12170     | Refresh Oracle Workspace Table | > 8      |           |                                       |
| 12180     | Resolve Conflict               | > 8      |           |                                       |
| 12190     | Select Oracle Table            | > 8      |           |                                       |

| Title                                  | Dialog ID |
|--|-----------|
| (no title)                             | 2513      |
| (no title)                             | 2514      |
| (no title)                             | 2516      |
| (no title)                             | 2580      |
| (no title)                             | 2581      |
| (no title)                             | 2582      |
| (no title)                             | 2585      |
| (no title)                             | 2586      |
| (no title) [attributes for legend fr.] | 6850      |
| (no title) [Default Object Styles]     | 7006      |
| (no title) [empty]                     | 9050      |
| (no title) [Index Type, Column...]     | 7005      |
| (no title) [layers > legend frames]    | 6800      |
| (no title) [legend properties, ...]    | 6810      |
| (no title) [Preferred View]            | 7190      |
| (no title) [printing]                  | 9055      |
| (no title) [TAB file location]         | 7004      |
| 3D Map Print Options                   | 1745      |
| 3DMap Properties                       | 7501      |
| About this MapInfo Product             | 9060      |
| Add Control Point                      | 3760      |
| Add Custom Symbol Results              | 3350      |
| Add Custom Symbol Results              | 3360      |
| Add Layer                              | 1850      |
| Address Matching Preferences           | 4140      |
| Adjust Image Style                     | 6430      |
| Advanced Exporting Options             | 5012      |
| Advanced Printing Options              | 1744      |
| Align Objects                          | 1590      |
| Append Rows to Table                   | 2620      |
| Arc Object                             | 3460      |
| Arc Object                             | 4460      |
| Axis Settings                          | 1340      |
| Browse Options                         | 3635      |
| Browse Table                           | 2570      |
| Browser Print Options                  | 1720      |
| Buffer Objects                         | 1910      |
| Calculate Column Statistics            | 3670      |
| Change Table Object Style              | 7100      |
| Change View                            | 3580      |
| Check Region Objects                   | 6320      |
| Choose Directory                       | 2501      |
| Choose Projection                      | 1870      |
| Choose Raster table                    | 6410      |
| Choose Table Name                      | 2515      |
| Clean Objects                          | 6310      |
| Close DBMS Connection                  | 7240      |
| Close Edited Linked table              | 7170      |
| Close Edited Linked table              | 7180      |
| Close Table                            | 2520      |
| Collection Object                      | 3415      |
| Collection Object                      | 4415      |
| Column Picker                          | 7020      |
| Column Statistics                      | 3680      |
| Combine Objects Using Column           | 6300      |
| Create 3DMap                           | 7500      |
| Create Convex Hull                     | 1930      |
| Create Drop Shadows                    | 1580      |

| Title                                     | Dialog ID |
|---|-----------|
| Create graph – step 1 of 2                | 3561      |
| Create graph – step 2 of 2                | 3560      |
| Create Points                             | 3620      |
| Create Prism Mask                         | 7503      |
| Create Region Objects from Enclosed Areas | 6340      |
| Create table Structure                    | 2600      |
| Create Thematic Map - Step 1 of 3         | 5050      |
| Create Thematic Map - Step 2 of 3         | 5060      |
| Create Thematic Map - Step 2 of 3         | 5065      |
| Create Thematic Map - Step 2 of 3         | 5070      |
| Create Thematic Map - Step 3 of 3         | 5080      |
| Customize Bar Styles                      | 6060      |
| Customize Dot Density Settings            | 6020      |
| Customize Graduated Symbols               | 6540      |
| Customize Graph Legend                    | 1380      |
| Customize Individual Styles               | 6580      |
| Customize Legend                          | 6030      |
| Customize Legend Label Order              | 5082      |
| Customize Pie Styles                      | 6590      |
| Customize Range Styles                    | 6500      |
| Customize Ranges                          | 5090      |
| Data Aggregation                          | 6280      |
| Data Disaggregation                       | 6240      |
| dBase DBF Information                     | 2720      |
| Define Custom Colors                      | 6380      |
| Delete Table                              | 2610      |
| Delimited ASCII Information               | 2710      |
| Digitizer Setup                           | 3740      |
| Directory Preferences                     | 4150      |
| Disaggregate Objects                      | 6270      |
| Display Options                           | 4490      |
| Draw Autolabels                           | 3820      |
| DXF Data Sorting Options                  | 1660      |
| DXF Export Information                    | 1600      |
| DXF Import Information                    | 1620      |
| DXF Import Warning                        | 1640      |
| DXF Table Name Information                | 1650      |
| Edit Control Point                        | 3770      |
| Edit Control Point                        | 6360      |
| Ellipse Object                            | 3430      |
| Ellipse Object                            | 4430      |
| Enter SQL Query                           | 7080      |
| Excel Information                         | 2730      |
| Export Table                              | 2555      |
| Expression                                | 3570      |
| Fill Style                                | 6170      |
| Filter Tables                             | 7090      |
| Find                                      | 2202      |
| Find                                      | 3520      |
| Find Options                              | 3521      |
| Flipping Geographic Data                  | 1670      |
| Frame Object                              | 3490      |
| Full View of Sample                       | 3330      |
| Geocode                                   | 3600      |
| Geocode Options                           | 3601      |
| GML Import                                | 1700      |
| GML Import                                | 1710      |
| Graph Print Options                       | 1721      |

| Title                                   | Dialog ID |
|---|-----------|
| Graph Series                            | 1500      |
| Graph Series                            | 1520      |
| Graph Type                              | 1300      |
| Grid Appearance                         | 6070      |
| HotLink Options                         | 5040      |
| Image Registration                      | 6370      |
| Insert Style                            | 5045      |
| Join Tables                             | 6200      |
| Label Options                           | 5030      |
| Label Style                             | 3475      |
| Layer Buffer                            | 6260      |
| Layer Control                           | 1800      |
| Layout Display Options                  | 1550      |
| Layout Zoom                             | 1560      |
| Legend Frame Properties                 | 6820      |
| Legend Window Preferences               | 4160      |
| Legend Window Properties                | 6830      |
| Line Object                             | 3400      |
| Line Object                             | 4400      |
| Line Style                              | 6150      |
| Lotus 1-2-3 Information                 | 2740      |
| Make Table Mappable                     | 7220      |
| Map Options                             | 3640      |
| Map Print Options                       | 1722      |
| Map Window Preferences                  | 4130      |
| Map Window Preferences                  | 4131      |
| MapInfo                                 | 9051      |
| MapInfo                                 | 9052      |
| MapInfo                                 | 9053      |
| MapInfo                                 | 9059      |
| MapInfo                                 | 9070      |
| MapInfo                                 | 9071      |
| MapInfo Oracle Connect                  | 7230      |
| Merge a template Into the Current Theme | 5087      |
| Merge Oracle Workspace Table            | 12160     |
| Modify Table Structure                  | 2650      |
| Modify Thematic Map                     | 6630      |
| Multipoint Object                       | 3405      |
| Multipoint Object                       | 4405      |
| New DBMS Table Options                  | 7003      |
| New Layout Window                       | 1570      |
| New Map Window                          | 3340      |
| New oracle Worspace                     | 12060     |
| New Redistrict Window                   | 1100      |
| New Report                              | 2553      |
| New Table                               | 2505      |
| Non-Earth Coordinate Bounds             | 1880      |
| Offset Objects                          | 6275      |
| Open                                    | 2500      |
| Open                                    | 2510      |
| Open                                    | 2512      |
| Open Access Table                       | 7250      |
| Open DBMS Connection                    | 7002      |
| Open DBMS Table – step 4 of 4           | 7160      |
| Open DBMS Table – step1 of 4            | 7000      |
| Open DBMS Table Options                 | 7001      |
| Oracle Connections                      | 12020     |
| Oracle Tables                           | 12000     |

| Title                           | Dialog ID |
|---------------------------------|-----------|
| Oracle Workspaces               | 12040     |
| Other Range                     | 2735      |
| Other Range                     | 2745      |
| Output Preferences              | 4170      |
| Pack Table                      | 3730      |
| Page Setup                      | 1742      |
| Password Required               | 7260      |
| Pick Color                      | 1750      |
| Pick Fields                     | 3630      |
| Pick Tablet Point               | 3750      |
| Point Object                    | 3480      |
| Point Object                    | 4480      |
| Polyline Object                 | 3410      |
| Polyline Object                 | 4410      |
| Preferences                     | 4100      |
| Print                           | 1741      |
| Printer Preferences             | 1746      |
| Printer Setup                   | 2400      |
| Prism Map Properties            | 7504      |
| Quick Start                     | 6120      |
| Rectangle Object                | 3440      |
| Rectangle Object                | 4440      |
| Redistricter Options            | 6760      |
| Refresh DBMS Table              | 7130      |
| Refresh Legend                  | 6840      |
| Refresh Oracle Workspace Table  | 12170     |
| Region Object                   | 3420      |
| Region Object                   | 4420      |
| Region Style                    | 3300      |
| Rename Table                    | 2630      |
| Resolve Conflict                | 12180     |
| Resolve Conflicts               | 7300      |
| Resolve Conflicts Automatically | 7320      |
| Revert Table                    | 2540      |
| Rotate Objects                  | 6230      |
| Rounded Rectangle Object        | 3450      |
| Rounded Rectangle Object        | 4450      |
| Row Picker                      | 7040      |
| Save Access Table               | 7270      |
| Save Copy As                    | 2550      |
| Save Cosmetic Objects           | 3590      |
| Save Cosmetic Objects           | 3610      |
| Save Map Objects                | 3622      |
| Save Modified Table Data        | 3621      |
| Save Table                      | 2530      |
| Save Table As Query             | 2552      |
| Save Theme to a Template        | 5085      |
| Save Window As                  | 5010      |
| Select                          | 3500      |
| Select an Oracle Workspace      | 12080     |
| Select Base Table               | 2203      |
| Select DBMS Connection          | 7245      |
| Select DBMS Table               | 7140      |
| Select DBMS Table               | 7200      |
| Select Mapper Windows           | 7600      |
| Select Oracle Table             | 12190     |
| Select WFS Table                | 2645      |
| Select WFS Table(s)             | 2646      |

| Title                                 | Dialog ID |
|---------------------------------------|-----------|
| Select Window                         | 5020      |
| Select WMS Table                      | 2640      |
| Set Coordinate Transformation         | 1610      |
| Set Coordinate Transformation         | 1630      |
| Set Digitizer Options                 | 3780      |
| Set Field Properties                  | 2670      |
| Set Table Bounds                      | 7225      |
| Set Values for Node Snap and Thinning | 6330      |
| Shapefile Information                 | 2725      |
| Specify Join                          | 3650      |
| Specify Join                          | 3660      |
| Split With Polyline                   | 6250      |
| SQL Select                            | 3700      |
| Startup Preferences                   | 4120      |
| Startup Preferences                   | 4121      |
| Status                                | 4000      |
| Stop Commit                           | 7340      |
| Styles Preferences                    | 4180      |
| Sub Total                             | 7400      |
| Symbol Style                          | 3310      |
| System Settings Preferences           | 4110      |
| Table Voronoi                         | 6265      |
| Text Object                           | 3470      |
| Text Object                           | 4470      |
| Text Style                            | 3200      |
| Tool Definition                       | 1822      |
| Tool Manager                          | 1821      |
| Toolbar Options                       | 5021      |
| Toolbar Options                       | 5022      |
| Units                                 | 6350      |
| Unlink DBMS Table                     | 7120      |
| Update Column                         | 6100      |
| View Entire layer                     | 3810      |
| View Point Control                    | 7502      |
| View Table Structure                  | 2660      |
| View/Modify Table Structure           | 2560      |
| Voronoi Field Values                  | 6290      |
| Web Services preferences              | 4190      |
| Web Services Proxy Settings           | 4191      |
| WMS Derver Map Properties             | 2567      |
| WMS Server Details                    | 2564      |
| WMS Server Map Properties             | 2561      |
| WMS Servers List                      | 2562      |
| WMS Sever Information                 | 2563      |

Title

Dialog ID

Menu item title                      RMC #   Dialog I D

## Menu items in version 7.0 and corresponding dialogs

Some items may have been ignored because of no import. Only regular menus are taken into account

As given in MNU file

cd indicate a common dialog (see document on that subject)  
? item not tested. Ø no dialog resulting from command  
Dialogs may appear in sequences, some with differences due to circumstances (number of open tables for example)

### \*\* FILE menu \*\*\*\*\* ID 1 \*\*\*\*\*

|                       |     |                              |
|-----------------------|-----|------------------------------|
| New Table             | 101 | 2505                         |
| Open                  | 102 | cd 52                        |
| Open DBMS Connection  | 125 | ?                            |
| Close Table           | 103 | 2520                         |
| Close All             | 104 | 3621                         |
| Close DBMS Connection | 124 | ?                            |
| Save Table            | 105 | 2530                         |
| Save Copy As          | 106 | 2550                         |
| Save Query            | 117 | 2552 (if >1 queries) + cd 56 |
| Save Workspace        | 109 | cd 60                        |
| Save Window As        | 609 | cd 58                        |
| Revert Table          | 107 | 2540 (if >1 modified tables) |
| Page Setup            | 111 | 1742                         |
| Print                 | 112 | 1741                         |
| Exit                  | 113 | Ø                            |

### \*\* EDIT menu \*\*\*\*\* ID 2 \*\*\*\*\*

|                        |      |  |
|------------------------|------|--|
| Undo                   | 201  | Ø  |
| Cut                    | 202  | Ø  |
| Copy                   | 203  | Ø  |
| Paste                  | 204  | Ø  |
| Clear                  | 205  | Ø  |
| Clear Map Objects Only | 206  | Ø  |
| Reshape                | 1601 | Ø  |
| New Row                | 702  | Ø  |
| Get Info               | 207  | in a non-editable layer<br>4405,.10,.15,.20,.30,.30,.40,.50,.60,.70,.80 according to object type<br>in an editable layer<br>3405,.10,.15,.20,.30,.30,.40,.50,.60,.70,.80 according to object type<br>frame in layout<br>3490 |

### \*\* OBJECTS menu \*\*\*\*\* ID 14 \*\*\*\*\*

|              |      |      |
|--------------|------|------|
| Set Target   | 1610 | Ø    |
| Clear Target | 1611 | Ø    |
| Combine      | 1605 | 6280 |
| Disaggregate | 1621 | 6270 |
| Buffer       | 1606 | 1910 |
| Convex Hull  | 1616 | 1930 |
| Enclose      | 1617 | Ø    |
| Voronoi      | 1622 | 6290 |
| Split        | 1612 | 6240 |

Menu item title                    RMC #   Dialog I D

|                      |      |      |
|----------------------|------|------|
| Erase                | 1613 | 6240 |
| Erase Outside        | 1614 | 6240 |
| Polyline Split       | 1623 | 6250 |
| Overlay Nodes        | 1615 | Ø    |
| Check Regions        | 1618 | 6320 |
| Clean                | 1619 | 6310 |
| Snap/Thin            | 1620 | 6330 |
| Smooth               | 1602 | Ø    |
| Unsmooth             | 1603 | Ø    |
| Convert to Regions   | 1607 | Ø    |
| Convert to Polylines | 1604 | Ø    |

\*\* QUERY menu \*\*\*\*\* ID 3 \*\*\*\*\*

|                      |     |                                    |
|----------------------|-----|------------------------------------|
| Select               | 301 | 3500                               |
| SQL Select           | 302 | 3700                               |
| Select All           | 303 | Ø                                  |
| Invert Selection     | 311 | Ø                                  |
| Unselect All         | 304 | Ø                                  |
| Find                 | 305 | 3520(no spec or respec) 2202(spec) |
| Find Selection       | 306 | Ø                                  |
| Calculate Statistics | 309 | 3670                               |

\*\* MAINTENANCE submenu \*\*\*\*\* sm(15) \*\*\*\*\*

|                          |     |                          |
|--------------------------|-----|--------------------------|
| Table Structure          | 404 | 2560 (si>1 table) + 2600 |
| Delete Table             | 409 | 2610                     |
| Rename Table             | 410 | 2630                     |
| Pack Table               | 403 | 3730                     |
| Make DBMS Table Mappable | 415 | ? 7220                   |
| Change DBMS Table Symbol | 418 | ? 7100                   |
| Unlink DBMS Table        | 416 | ? 7120                   |
| Refresh DBMS Table       | 417 | ? 7130                   |

\*\* RASTER submenu \*\*\*\*\* sm(15) \*\*\*\*\*

Create Menu Raster As

|                               |      |      |
|-------------------------------|------|------|
| Adjust Image Styles           | 414  | 6430 |
| Modify Image Registration     | 413  | 6370 |
| Select Control Point from Map | 1730 | Ø    |

\*\* TABLE menu \*\*\*\*\* ID 15 \*\*\*\*\*

|                              |       |              |
|------------------------------|-------|--------------|
| Update Column                | 405   | 6100         |
| Append Rows to Table         | 411   | 2620         |
| Geocode                      | 407   | 3600         |
| Create Points                | 408   | 3620         |
| Combine Objects using Column | 406   | 6300 + 2505  |
| Import                       | 401   | cd 53        |
| Export                       | 402   | 2555 + cd 57 |
| Maintenance As Maintenance   | >>>sm |              |
| Raster As Raster             | >>>sm |              |

Menu item title                    RMC #   Dialog ID

\*\* OPTIONS menu \*\*\*\*\* ID 5 \*\*\*\*\*

|                              |     |      |
|------------------------------|-----|------|
| Line Style                   | 501 | 6150 |
| Region Style                 | 502 | 3300 |
| Symbol Style                 | 503 | 3310 |
| Text Style                   | 504 | 3200 |
| Toolbars                     | 605 | 5022 |
| Hide^Show Theme Legend Wind. | 606 | Ø    |
| Hide^Show Statistics Window  | 607 | Ø    |
| Hide^Show MapBasic Window    | 608 | Ø    |
| Hide^Show Status Bar         | 616 | Ø    |
| Custom Colors                | 617 | 6380 |
| Preferences                  | 208 | 4100 |

\*\* WINDOW menu \*\*\*\*\* ID 6 \*\*\*\*\*

|                       |     |             |
|-----------------------|-----|-------------|
| New Browser Window    | 601 | 2570        |
| New Map Window        | 602 | 3340        |
| New Graph Window      | 603 | 3561 + 3560 |
| New Layout Window     | 604 | 1570        |
| New Redistrict Window | 615 | 1100        |
| Redraw Window         | 610 | Ø           |
| Tile Windows          | 611 | Ø           |
| Cascade Windows       | 612 | Ø           |
| Arrange Icons         | 613 | Ø           |

\*\* HELP menu \*\*\*\*\* ID 7 \*\*\*\*\*

|                                  |      |   |
|----------------------------------|------|---|
| MapInfo Professional Help Topics | 1203 | Ø |
| MapInfo on the Web               | 1210 | Ø |
| MapInfo Data Products on the Web | 1211 | Ø |
| MapInfo Data and Sol for Europe  | 1209 | Ø |
| Check for Update                 | 1212 | Ø |
| About this MapInfo Product       | 1205 | Ø |

-----  
\*\* WINDOW SPECIFIC MENUS \*\*\*\*\*  
-----

\*\* BROWSE menu \*\*\*\*\* ID 8 \*\*\*\*\*

|             |     |      |
|-------------|-----|------|
| Pick Fields | 704 | 3635 |
| Options     | 703 | 3630 |

\*\* MAP menu \*\*\*\*\* ID 9 \*\*\*\*\*

|                     |     |                                |
|---------------------|-----|--------------------------------|
| Layer Control       | 801 | 1800                           |
| Create 3DMap        | 817 | 7500                           |
| Create Prism Map    | 818 | 7503                           |
| Create Thematic Map | 307 | 5050 + (5060/5065/5070) + 5080 |
| Modify Thematic Map | 308 | 6630 (if >1 them) + 5080       |
| Create Legend       | 816 | 6800 + 6810 + 6850             |
| Change View         | 805 | 3580                           |
| Clone View          | 811 | Ø                              |

| Menu item title       | RMC # | Dialog ID             |
|-----------------------|-------|-----------------------|
| Previous View         | 806   | Ø                     |
| View Entire Layer     | 807   | 3810                  |
| Clear Custom Labels   | 814   | Ø                     |
| Save Cosmetic Objects | 809   | 3590 + (if new) cd 55 |
| Clear Cosmetic Layer  | 810   | Ø                     |
| Set Clip Region       | 812   | Ø                     |
| Clip Region Off^On    | 813   | Ø                     |
| Digitizer Setup       | 803   | ? 3740                |
| Options               | 802   | 3640                  |

\*\* LAYOUT menu \*\*\*\*\* ID 10 \*\*\*\*\*

|                     |     |      |
|---------------------|-----|------|
| Change Zoom         | 902 | 1560 |
| View Actual Size    | 903 | Ø    |
| View Entire Layout  | 904 | Ø    |
| Previous View       | 905 | Ø    |
| Bring to Front      | 906 | Ø    |
| Send to Back        | 907 | Ø    |
| Align Objects       | 908 | 1590 |
| Create Drop Shadows | 909 | 1580 |
| Options             | 901 | 1550 |

\*\* GRAPH menu \*\*\*\*\* ID 11 \*\*\*\*\*

|            |      |   |
|------------|------|---|
| Graph Type | 1001 | Old type Graph menu left for historical reasons |
| Label Axis | 1002 | -   |
| Value Axis | 1003 | -   |
| Series     | 1004 | -   |

\*\* MAPBASIC menu \*\*\*\*\* ID 12 \*\*\*\*\*

|                |      |       |
|----------------|------|-------|
| Clear Contents | 1101 | Ø     |
| Save Contents  | 1102 | cd 55 |

\*\* REDISTRRICT menu \*\*\*\*\* ID 13 \*\*\*\*\*

|                              |     |      |
|------------------------------|-----|------|
| Assign Selected Objects      | 705 | Ø    |
| Set Target District from Map | 706 | Ø    |
| Add District                 | 707 | Ø    |
| Delete Target District       | 708 | Ø    |
| Options                      | 709 | 6760 |

\*\* LEGEND menu \*\*\*\*\* ID 31 \*\*\*\*\*

|                   |      |                    |
|-------------------|------|--------------------|
| Add Frames        | 1903 | 6800 + 6810 + 6850 |
| Refresh           | 1902 | 6840               |
| Window Properties | 1901 | 6830               |

\*\* New Graph menu \*\*\*\*\* ID 29 \*\*\*\*\*

|                 |      |              |
|-----------------|------|--------------|
| Formatting      | 2007 | No dialog ID |
| General Options | 2002 | No dialog ID |
| Series Options  | 2003 | No dialog ID |
| Grids Scales    | 2004 | No dialog ID |

| Menu item title  | RMC # | Dialog I D   |
|------------------|-------|--------------|
| Titles           | 2005  | No dialog ID |
| 3D Viewing Angle | 2006  | No dialog ID |
| Save As Template | 2008  | cd 73        |

\*\* New 3DMap menu \*\*\*\*\* 28 \*\*\*\*\*

|                   |      |      |
|-------------------|------|------|
| Refresh Texture   | 2103 | Ø    |
| Clone View        | 2105 | Ø    |
| Previous View     | 2106 | Ø    |
| View Entire Layer | 2101 | Ø    |
| Viewpoint Control | 2107 | 7502 |
| WireFrame         | 2104 | Ø    |
| Properties        | 2102 | 7501 |

-----

